



Online Thermal Transfer Ribbon – Resin, black

|| AG75 ||

Description:

When the risk of a printing interruption threatens the continuity of your production, you need a ribbon that offers endless reliability and top quality output. AG75 online has proven itself time and time again. Although widely used for inline applications, AG75 online performs well across all near-edge printing systems. AG75 online offers outstanding performance at high printing speeds up to 600mm/s. It delivers exceptional printing quality and mechanical resistance on a variety of in-line and auto ID applications. The anti-static properties of AG75 online make it an ideal choice for RFID overprint applications. ISEGA approval of AG75 online guarantees safe use for food packaging applications.

Recommended media:

coated paper
laminated paper
various type of films
PET labels
plastic tag paper

Applications:

plastic identification labels
flexible packaging

Technical specifications:

Head type	Near Edge, specialized for Online systems
Film Thickness	4,5 μm \pm 0,5 μm
Total ribbon thickness	7,1 μm \pm 0,5 μm
Melting point	none
Heat resistance	100°C
Storage	dry location
Extinguishing media	water, foam, dry, chemical, CO2

Typical compliance:

Reach-SVHC Free, RoHS, TSCA, Direct Food Contact,
Halogen free



AGS FOIL DOO
Prvomajska 14.
35000 Jagodina
Srbija
tel/fax: 035/ 247-047
E-mail: srbija@agfoil.com
www.agfoil.rs

Performance:

testing results on scale 1-5 (5 is the best):

- 5 – scratch resistant
- 5 – smudge resistant
- 2 – chemical resistant
- 4 – sensitivity
- 5 – print quality